


FLUOR-O-FLO®
PTFE Gaskets

Envelope & Solid • Donut



CONTENTS

PAGE

Gaskets

• Sizes of PTFE Gaskets	2
• Slit Envelope Gaskets.....	3
• Machined Envelope Gaskets	3
• PTFE Envelopes with No Fillers.....	3
• Donut Adapter Gaskets	3

Product Specifications 7.20-2

Call today for our
PTFE Gaskets
Sales Bulletin

All sales are subject to separately published Terms and Conditions of Sale.



Sizes of MICROMOLD

Class 150 and 300 PTFE Gaskets

ID			OD & Bolt Holes									
Class 150 & 300			Class 150					Class 300				
Pipe Size	Old Std.	New Std.	Ring Type OD	Full-Face OD	Bolt Holes			Ring Type OD	Full-Face OD	Bolt Holes		
					No.	Dia.	Bolt Circle			No.	Dia.	Bolt Circle
1/2"	1/2"	27/32"	1-7/8"	3-1/2"	4	5/8"	2-3/8"	2-1/8"	3-3/4"	4	5/8"	2-5/8"
3/4"	3/4"	1-1/16"	2-1/4"	3-7/8"	4	5/8"	2-3/4"	2-5/8"	4-5/8"	4	3/4"	3-1/4"
1"	1"	1-5/16"	2-1/2"	4-1/4"	4	5/8"	3-1/8"	2-7/8"	4-7/8"	4	3/4"	3-1/2"
1-1/4"	1-1/4"	1-21/32"	3"	4-5/8"	4	5/8"	3-1/2"	3-1/4"	5-1/4"	4	3/4"	3-7/8"
1-1/2"	1-1/2"	1-29/32"	3-1/4"	5"	4	5/8"	3-7/8"	3-3/4"	6-1/8"	4	7/8"	4-1/2"
2"	2"	2-3/8"	4"	6"	4	3/4"	4-3/4"	4-3/8"	6-1/2"	8	3/4"	5"
2-1/2"	2-1/2"	2-7/8"	4-7/8"	7"	4	3/4"	5-1/2"	5-1/8"	7-1/2"	8	7/8"	5-7/8"
3"	3"	3-1/2"	5-1/4"	7-1/2"	4	3/4"	6"	5-7/8"	8-1/4"	8	7/8"	6-5/8"
4"	4"	4-1/2"	6-1/2"	9"	8	3/4"	7-1/2"	7-1/8"	10"	8	7/8"	7-7/8"
5"	5"	5-9/16"	7-1/2"	10"	8	7/8"	8-1/2"	8-1/2"	11"	8	7/8"	9-1/4"
6"	6"	6-5/8"	8-1/2"	11"	8	7/8"	9-1/2"	9-7/8"	12-1/2"	12	7/8"	10-5/8"
8"	8"	8-5/8"	10-1/2"	13-1/2"	8	7/8"	11-3/4"	12-1/8"	15"	12	1"	13"
10"	10"	10-3/4"	13"	16"	12	1"	14-1/4"	14-1/4"	17-1/2"	16	1-1/8"	15-1/4"
12"	12"	12-3/4"	16"	19"	12	1"	17"	16-5/8"	20-1/2"	16	1-1/4"	17-3/4"
14"	14"	14"	17"	21"	12	1-1/8"	18-3/4"	19-1/8"	23"	20	1-1/4"	20-1/4"
16"	16"	16"	19"	23-1/2"	16	1-1/8"	21-1/4"	21-1/4"	25-1/2"	20	1-3/8"	22-1/2"
18"	18"	18"	21"	25"	16	1-1/4"	22-3/4"	23-1/2"	28"	24	1-3/8"	24-3/4"
20"	20"	20"	23"	27-1/2"	20	1-1/4"	25"	25-5/8"	30-1/2"	24	1-3/8"	27"
24"	24"	24"	27"	32"	20	1-3/8"	29-1/2"	30-3/8"	36"	24	1-5/8"	32"


Fillers: Common fillers used in Micromold PTFE Envelope Gaskets

- CNA** Compressed non-asbestos sheet (physical properties conform to ASTM F104 Class P-1141-A)
NA Compressible non-asbestos sheet
CLT CNA core faced on both sides with NA
CRT Corrugated cold rolled (or stainless) steel core faced on both sides with NA
NEO Neoprene rubber



Slit Envelope Gaskets

(See Page 2 for Gasket Sizes)




- Available in standard sizes from 1/2" through 12"
- Class 150 ring gasket standard
- Full face gaskets and Class 300 sizes also available

Standard Fillers

- CNA
- NA
- NEO
- CLT
- CRT (cold rolled or stainless steel)
- Others (e.g., Silicone, Viton, EPDM, etc.) available

Machined Envelope Gaskets

(See Page 2 for Gasket Sizes)




- Available in standard sizes from 1/2" through 12"
- Class 150 ring gasket standard
- Full face gaskets and Class 300 sizes also available

Standard Fillers


- CNA
- NA
- NEO
- CLT
- CRT (cold rolled or stainless steel)
- Others (e.g., Silicone, Viton, EPDM, etc.) available

PTFE Envelopes with No Fillers




- Class 150 ring type gasket standard
- 300 class sizes also available

Contact Factory for information on special sizes or materials.



Donut Adapter Gaskets



Standard Configuration - Machined envelope with filler of 1/8" mild steel between two layers of 1/16" NA.

Other Fillers

- Type 304 stainless steel in place of mild steel . . . Contact Factory.

